

SCOPE OF ACCREDITATION TO ISO/IEC 17025:20

ELEMENT MATERIALS TECHNOLOGY MINNEAPOLIS - EAGAN INC.  
 1285 Corporate Center Drive, Suite 110  
 Eagan, Minnesota, 55121  
 Cody Ganz Phone: 651-79-5517

BIOLOGICAL

Valid To: July 31, 2025

Certificate Number 7020.01

In recognition of the successful completion of the A2LA evaluation process, accreditation is granted to this laboratory to perform the following tests on antimicrobial test substrates

<u>TEST</u>	<u>INTERNAL SOP NUMBER</u>	<u>Test Method</u>	<u>Method Reference</u>
AOAC GerAOAC Meth			
AOAC Germicidal Spray Method	CGT-0027	AOAC Germicidal Spray Products as Disinfectants	AOAC Method 961.02
Pre-Saturated Towelettes for Hard Surface Disinfection	CGT-0033	AOAC Germicidal Spray Products as Disinfectants  Standard Practice for Evaluation of Pre-Saturated or Impregnated Towelettes for Hard Surface Disinfection	AOAC 961.02 ASTM E236222
AOAC UseDilution Method	CGT-0041	Testing Disinfectants against Pseudomonas aeruginosa Use Dilution Method  Testing Disinfectants against Staphylococcus aureus Use Dilution Method  Testing Disinfectants against Salmonella enterica Use Dilution Method	AOAC Method 964.02 AOAC Method 955.15 AOAC Method 955.14
Virucidal Efficacy of a Disinfectant for Use on Inanimate Environmental Surfaces- Sepsadeeutralization	CGT-0084	Standard Practice to Assess Virucidal	

A2LA has accredited

## Testing

<sup>st</sup> day o f August 2023.

---

Mr. Trace McInturff, V ice President , Accreditation Services  
For the Accreditation Council  
Certificate Number 7020.01  
Valid to July 31, 2025